



1 **EU-TYPE EXAMINATION CERTIFICATE**

2 Equipment intended for use in Potentially Explosive Atmospheres Directive 2014/34/EU

3 Certificate Number: **Sira 19ATEX2046X** Issue: **2**

4 Equipment: **9W3200 Battery Pack**

5 Applicant: **Detectronic Limited**

6 Address: Regent Street
Whitewalls Ind. Est.
Colne, Lancashire.
BB8 8LJ
UK

7 This equipment and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

8 CSA Group Netherlands B.V., Notified Body Number 2813 in accordance with Articles 17 and 21 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in the confidential reports listed in Section 14.2.

9 Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the schedule to this certificate, has been assured by compliance with the following documents:

EN IEC 60079-0:2018

EN 60079-11:2012

10 If the sign 'X' is placed after the certificate number, it indicates that the equipment is subject to Specific Conditions of Use identified in the schedule to this certificate.

11 This EU-Type Examination Certificate relates only to the design and construction of the specified equipment. If applicable, further requirements of this Directive apply to the manufacture and supply of this equipment.

12 The marking of the equipment shall include the following:



II 1G
Ex ia IIB T4 Ga
Ta = -40°C to +60°C

Project Number 4119

Signed: 

Title: Director of Operations

This certificate and its schedules may only be reproduced in its entirety and without change

CSA Group Netherlands B.V.
Utrechtseweg 310,
6812 AR, Arnhem,
Netherlands



SCHEDULE

EU-TYPE EXAMINATION CERTIFICATE

**Sira 19ATEX2046X
Issue 2**

13 DESCRIPTION OF EQUIPMENT

9W3200 Battery Pack is an intrinsically safe rechargeable battery pack with a flying lead terminating in a socket which is designed to connect to a mating plug on another suitably certified intrinsically safe device, typically a data logger. When the 9W3200 is in the non-hazardous area, the same connector can be used to connect to a charger, the charging connector itself being protected by triplicated series diodes.

The battery pack consists of three Saft '3s1p INT 176065 ise CCS' 4.2V, Lithium ion cells in series to produce an output of 12.6V peak, the current being limited to an intrinsically safe value by means of a resistor. The battery pack constitutes of a PCB containing a number of safety critical components, the three cells and their protection PCBs mounted on top of the cells. They are completely encapsulated inside a plastic enclosure.

The 9W3200 is designed to be charged by means of a charger specifically designed for lithium-ion cells, with a maximum charging voltage of 12.6V and a maximum charging current of 3A.
Um at the charging terminal = 12.6V.

The 9W3200 has the following safety description:

| | | | |
|------------|-------------|-------------|--------|
| Uo = 12.6V | Io = 2.708A | Po = 6.142W | Ci = 0 |
| Co = 7.4µF | Li = 0 | Lo = 19µH | |

Variation 1 - This variation introduced the following change:

- i. Correction on drawing C9W5210 to change approval text.

14 DESCRIPTIVE DOCUMENTS

14.1 Drawings

Refer to Certificate Annexe.

14.2 Associated Sira Reports and Certificate History

| Issue | Date | Report number | Comment |
|-------|-----------------|---------------|--|
| 0 | 01 April 2019 | R70215084A | The release of prime certificate. |
| 1 | 01 April 2019 | R70220067A | The introduction of Variation 1. |
| 2 | 15 October 2019 | 4119 | <ul style="list-style-type: none"> • Transfer of certificate Sira 19ATEX2046X from Sira Certification Service to CSA Group Netherlands B.V. |

14.3 Certificate number Sira 18ATEX2076X Issue 0

15 SPECIFIC CONDITIONS OF USE (denoted by X after the certificate number)

15.1 Under certain extreme circumstances, exposed plastic and unearthed metal parts of the enclosure may store an ignition-capable level of electrostatic charge. Therefore, the user/installer shall implement precautions to prevent the build-up of electrostatic charge, e.g. locate the equipment where a charge-generating mechanism is unlikely to be present and clean with a damp cloth. The capacitance of the metallic cover was determined as 21pF.

15.2 While charging the 9W3200 battery pack in non-hazardous area, it shall be supplied with a maximum charging voltage of 12.6V and maximum charging current of 3A, that is

This certificate and its schedules may only be reproduced in its entirety and without change

CSA Group Netherlands B.V.
Utrechtseweg 310,
6812 AR, Arnhem Netherlands



SCHEDULE

EU-TYPE EXAMINATION CERTIFICATE

Sira 19ATEX2046X
Issue 2

- Powered from a SELV or PELV system or
- Powered via a safety isolating transformer complying with the requirements of IEC 61558-2-6 or technically equivalent standard, or
- Directly connected to apparatus complying with IEC 60950, IEC 61010-1 or a technically equivalent standard, or
- Fed directly from cells of batteries.

The ambient temperature during charging shall be in the range of -30°C to +85°C.

15.3 When the battery pack is installed in a portable equipment, a drop test shall be considered under the assessment of the complete portable equipment.

16 **ESSENTIAL HEALTH AND SAFETY REQUIREMENTS OF ANNEX II** (EHSRs)

The relevant EHSRs that are not addressed by the standards listed in this certificate have been identified and individually assessed in the reports listed in Section 14.2.

Certificate Annexe



Certificate Number: Sira 19ATEX2046X
Equipment: 9W3200 Battery Pack
Applicant: Detectronic Limited

Issue 0

| Drawing | Sheets | Rev | Date (Sira stamp) | Title |
|---------|--------|-----|-------------------|---|
| C9W5210 | 1 OF 1 | A | 12 Feb 19 | 9W3200 battery pack, I.S (ATEX & IECEx) trade agent (Detectronic) marking requirements |

Issue 1

| Drawing | Sheets | Rev. | Date (Sira stamp) | Title |
|---------|--------|------|-------------------|---|
| C9W5210 | 1 of 1 | B | 26 Mar 19 | 9W3200 battery pack, I.S (ATEX & IECEx) trade agent (Detectronic) marking requirements |

This certificate and its schedules may only be reproduced in its entirety and without change

CSA Group Netherlands B.V.
 Utrechtseweg 310,
 6812 AR, Arnhem,
 Netherlands